




Room Finish Schedule							
Room Number	Room						
	Name	Floor	Base	Wall	Ceiling	Ceiling Height	Comments
	_						
34	Bedroom						
35	Bedroom						
36	Closet						
31	Hall						
33	Wash						
32	Toilet						
21	Hall						
22	Bedroom						
23	Bath						
24	Bath						
25	Bedroom						
26	Bedroom						
27	Bedroom						
10	Entry						
11	Kitchen						
12	Living Room						
13	Bedroom						
14	Hall						
15	Bath						
01	Hall						
02	Mech.						
03	Room						
03	Laundry						
04	Bedroom						
05	Bath						



① Section 1
1/4" = 1-10"

						Window S	chedule							
	Rough Opening							Detail		Glazing				
Type Mark	Width	Height	Туре	Manufacture r Mo	Model	Model Material	Finish	Head	Jamb	Sill	Thicknes s	Туре	Head Height	Comments
A	3' - 6"	4' - 0"	Double Hung with Trim										ТТ	
В	3' - 0"	4' - 0"	Double Hung with Trim										7' - 0"	
С	2' - 0"	4' - 0"	Double Hung with Trim									,	7' - 0"	
J	6' - 0"	3, - 0,	Slider with Trim										6' - 6"	
K	2' - 8"	5' - 4"	Double Hung with Trim								- 50 1000000		7' - 0"	
L	3' - 0"	3 0.	Double Hung with Trim											



No. Description D.

15 Main St.

SECTIONS

Project number 1612
Date 7/15/16
Drawn by Author
Checked by Checker

A4.0

Peter Murphy

NOT FOR CONSTRUCTION PERMIT SET ONLY

Checker .0

	ISAAK DESIGN, PLLC ARCHITECTURE & URBAN DESIGN (603) 369-6711 NICK@ISAADDSIGN.COM www.isaakdesign.com
	ARCHTECT: hasin Design, PLC Nick Issaik, AN, LEED AP 33 Coyster Rever Rd. Dunham, NH 03046 03046 PF Rx 425-983-8711 Fax 425-983-8712 nick@fsaikdesign.com
	No. Description D
	Peter Murphy 15 Main St.
NOT FOR COI PERMIT S	SCHEDULES Project number 16: Date 7/15/ Drawn by Auth Checked by Check A8.0 Scale

DIVISION 1- GENERAL REQUIREMENTS

- THE CONTRACTOR SHALL PROVIDE ALL LABOR, MATERIALS.
 THE CONTRACTOR SHALL PROVIDE ALL LABOR, MATERIALS.
 THANSPORTATION, TOOLS, EQUIPMENT, SHOP SERVICES, AND
 TRANSPORTATION, TOOLS, EQUIPMENT, SHOP SERVICES, AND
 TRANSPORTATIONS, ALL WORK CONFORMANCE WITH THE DRAWINGS AND
 OF THE PROJECT WORK IN CONFORMANCE WITH THE DRAWINGS AND
 OFFICIAL CONTRACTORS SHALL BE PERFORMED IN A NEAR
 WORKMANLIKE MANNER, EQUAL, TO THE BEST IN SHOP AND FIELD
 STACED. THE CONTRACTOR SHALL BEPT SUSTAINABLE BUILDING
 PRACTICES WHEREVER POSSIBLE.
 ALL WORK SHALL COMEY WITH ALL APPLICABLE FEDERAL. STATE
 AND LICCAL CODES AND ORDINANCES, INCLUDING THE DITERNATIONAL
 AND LICCAL CODES AND ORDINANCES, INCLUDING THE DITERNATION
 THE CONTRACTOR SHALL CAREPULLY PEXAMINE ALL CONTRACT
 DOCUMENTS THE COUNTRACT ORDINANCES AND ORDINANCES ORDINANCES ORDINANCES
 BETWEEN BITHER THE CRAMINGS, SPECIFICATIONS, ANDORS STE
 CONDITIONS SHALL BE ORDINANCES, SHALL NOT PROCEEDED
 SHALL NOT BE AND ORDINANCES, SHALL NOT PROCEEDED
 THE CONTRACTOR SHALL BROWN UNAUTHORIZED CHANGE TO THE
 RECONTRACTOR SHALL BROWN UNAUTHORIZED CHANGE TO THE
 RECONTRACTOR SHALL BROWN UNAUTHORIZED CHANGE TO THE
 RECONTRACTOR SHALL BROWN ORDINANCES, WHERE NOTED
 HER CONTRACTOR SHALL BROWN ORDINANCES ORDINANCES OR THE
 RECONTRACTOR SHALL BANKE GOOD AFTER THEM, DOING ALL
 PATCHOR REPRINGING MOD PORTING THE WORK AS A WHOLE
 ALLOWING ELABLE FOR AND PROPRISED F

- SIGNO 2- STE WORK

 BACKFILLING AND FILLING SHALL BE BANK RUN GRAVEL WITH STONES LIMITED TO 3" MAXIMUM MADE IN E LIFTS AND COMPACTED TO 95% OF MAXIMUM BBY DENSITY FOR BUILDING AREAS, AND LINDER CONCRETE SLABS AND 80% FOR PARSINIS AREAS, EFFER TO CONL. AND STRUCTURAL DIVOS FOR MAXIMUM SPECE FOR TO CONT. AND STRUCTURAL DIVOS FOR MAXIMUM SPECE FOR TO CONT. AND STRUCTURAL DIVOS FOR MAXIMUM SPAYING OF PLANE WORK. TO CONTOURS INDICATED, MANUE SAVING OR PLANE WORK WITH 6" STANE STRUCTURAL DIVOS FOR MAXIMUM SPAYING OR PLANE WORK WITH 6" TO POSICIO, FOR LOAM, RESTORE ALL OTHER RESTING LANDSCAPE AREAS DISTURBED BY THE NEW WORK.

 DISTURBED BY THE NEW WORK.

 DISTURBED BY THE NEW WORK.

 THE PLANS, AND/OR AS MOTO BEREWITHIN COORDINATE WITH OTHER WORK. COMPILAY WITH ALL LOCAL UTILITY REGULATIONS.

DIVISION 3- CONCRETE

- FORMWORK SHALL BE CLEIN, TIGHTLY JOINED TOGETHER AND WELL BRACED. THE ROOS WHERE REQUIRED SHALL BE SMOOTH AND OF RECOGNIZED TYPE. THE REMAINS OF WHICH SHALL NOT BE CLOSER THAN 1'TO THE RINGHED SHAPE, ALL FORMS SHALL BE MANTAINED FOR A MINIMAL OF THE REMAINS OF WHICH SHALL NOT BE CLOSER THAN 1'TO THE RINGHED SHAPE. ALL FORMS SHALL BE MANTAINED FOR A MINIMAL OF A HOURS ATTER PLACING THE CONCRETE. ON THE PRINCE SHALL BE LAPPED 30 DIAMETER MIN. REINFORCING FABRIC FOR SLABS SHALL BE GAS, WILLIAM SHAWL SHAWL SHAWL SHAWL SHAPED SO DIAMETER MIN. REINFORCING FABRIC FOR SLABS SHALL BE GAS, WILLIAM SHAWL SHAWL

DIVISION 4- MASONRY

- A ALL FACE BRICK IS NOTED ON THE DRAWINGS AND SHALL BE INSTALLED AS RECOMMENDED BY THE BRICK INSTITUTE OF AMERICA FOR THE APPLICATIONS SHOWN.

 B. EXPOSED MASONRY WORK SHALL BE THOROUGHLY WASHED AND CLEAVED WITH CLEAR WATER AND FIBER BRUSH TO REMOVE MORTAR STAINS, DIRT, ETC.

 PROVIDE FLASHINGS AS REQUIRED.

DIVISION 5- METALS

A. REFER TO STRUCTURAL DRAWINGS FOR ALL STEEL LAYOUTS AND SIZES.

DIVISION 6- CARPENTRY

- A AL GENERAL FRAMING LUMBER SIMIL BE NO 2 OR BETTER
 SPRUCE PINE, FIR SOUTHERN, SURFACED FOUR BIDES, GRADED
 AND MARKED IN ACCORDANCE WITH THE NORTH-BASTERN LUMBER
 MANUFACTURER'S ASSOCIATION, MAXIMUM MUSTURE CONTENT
 SHALL BE 69'S. SEE THE DRAWINGS FOR FRAMING MERRES SIZES
 MINIMUM
 ALLOWASILE STRESSES:

 EXTREME FIBER IN BENDING, Fb = 750 PSI
 TENSION PARALLEL TO GRANA, Fi = 329 PSI
 CONTENT STRESSES:

 B. ALL PLYMODO SHALL MEET THE FROMSIONS OF U.S. PRODUCT
 STANDARD PSI (LATE-LISTICITY, E = 1,100 KM PSI
 B. ALL PLYMODO SHALL MEET THE FROMSIONS OF U.S. PRODUCT
 STANDARD PSI (LATE-STEDITION) AND SHALL BE IN ACCORDANCE
 WITH THE AMERICAN PLYMODO ASSOCIATION PERFORMANCE
 WITH THE AMERICAN PLYMODO ASSOCIATION PERFORMANCE
 WITH THE AMERICAN PLYMODO ASSOCIATION PERFORMANCE
 WITH CHARGE MERCHAN PLYMODO ASSOCIATION PERFORMANCE
 WITH THE AMERICAN PLYMODO ASSOCIATION PERFORMANCE
 OF APPLICATION, PARTICLE OR FLAME BOARD WITH THE AMERICAN
 PROPERTY OF A PROPERTY OF THE AMERICAN
 PERFORMANCE OF THE AMERICAN PROPERTY OF THE AMERICAN
 PROPERTY OF THE MEANING AMERICAN PROPERTY OF THE AMERICAN
 BURGES OF THE MEANING STANDARDS. EXCEPT AS NOTED
 OTHERWAYSE SHALL GOMEN'S WITH THE FRAMING STANDARDS. EXCEPT AS NOTED
 OTHERWAYSE SHALL GOMEN'S WITH THE FRAMING ANCHORACES, INC.
 BURDING FIRE ALL AUGUST OF THE MEANING STANDARDS. EXCEPT AS NOTED
 OTHERWAYSE SHALL GOMEN'S WITH THE FRAMING AND THE MEANING STANDARDS. PROPERTY OF THE MEANING STANDARDS. PROPERTY OF THE MEANING STANDARDS. PROPERTY OF THE MEANING STANDARDS. PROP

DIVISION 7- THERMAL AND MOISTURE PROTECTION

- SWA FT TREASMENT AND BOOKS OF ALL ROYLES AND THE AND T
- PROVIDE NON-WOVEN POLYESTER AIR INFILTRATION BARRIER OVER ALL NEW EXTERIOR SHEATHING PRIOR TO INSTALLING SIGNIG. LP ALL INFILENCE HORS THE ATTERIOR SHEATHING PRIOR TO INSTALLING SIGNIG. LP ALL INFILENCE AND ALL INFIDENCE AND ALL

DIVISION 8- DOORS AND WINDOWS

- DMISION 6-DOORS AND WINDOWS

 A PROVIDE ALL NEW DOORS AND RELATED HARDWARE OF TYPES AND SIZES AS INDICATED ON THE DRAWMINGS. APPLY SCALER TO ALL SIZES AS INDICATED ON THE DRAWMINGS. APPLY SCALER TO ALL SIZES AS INDICATED ON THE DRAWMINGS FOR HARDWARE DRAWMINGS APPROVED BY THE OWNER AND THE ARCHITECT. PROVIDE ALL HARDWARE MECESSARY FOR THE PROPER OPERATION OF ALL WORK ON THIS PROJECT. REFER TO THE DRAWMINGS FOR HARDWARE FUNCTIONS. CONFIRM DOOR KEYING AND DRAWMINGS FOR HARDWARE FUNCTIONS. CONFIRM DOOR KEYING AND VINYL SWEEPS ALL WAND THE STREPPING FOR ALL NEW EXTERIOR DOORS OF INCOPINES BUILD ALL WANNUS STEP AT HEAD AND JABS AND VINYL SWEEPS ALL WANNUS STEPS AT BOTTOM.

 DRAWMINGS, COMPLETE WITH ALL STANDARD HARDWARE ARD NOTICE OF THE DRAWMINGS, COMPLETE WITH ALL STANDARD HARDWARE ARD NOTICE OF THE STANDARD HARDWAR

DIVISION & FINISHES

DIVISION 10- SPECIALTIES

DIVISION 12- FURNISHINGS- NIC

DIVISION 13- SPECIAL CONSTRUCTION- NIC DIVISION 14- CONVEYING SYSTEMS- NIC

- DMISION 9-FINISHES

 A PROVIDE STANDARD TYPE 5'S TYPE X' GYPSUM WALLBOARD ON ALL INTERIOR WALLS AND CELLINGS, INCLUDE IN THE WORK ALL NECESSARY ACCESSORIES AND JOINT FINISHING SYSTEMS TO PROVIDE A FLAT. SMOOTH SUPFACE, FREE OF DEFECTS AND COMENING WITH THE APPLICATION REQUIREMENTS OF GAZIGES AND COMENING WITH THE APPLICATION REQUIREMENTS OF GAZIGES APPLICATION AND FINISHING BY FILLING YOLDS, SANDING AND CLEANING, APPLY FINISHES, AS INDICATED. TO INTERIOR AND EXPERIOR SURPACES USING ONLY MATIONALLY KNOWN OR OWNER APPROVED PRODUCTS, STORE IN A SAFE, SECURE MANNER, ALL PARTED SURPACES SHALL RECEIVE AT LEAST TWO FINISH COATS OWNER AND THE ARCHITECT. THE CONTRACTOR SHALL BE SELECTED BY OWNER AND THE ARCHITECT.

 SHEET VIEW, AND ONE PURNISH AND INSTALL ALL MATERIALS AND CENTRAL FOR AND ARCHITECT. THE CONTRACTOR SHALL PROVIDE UNDERSAMENT AND ARCHITECT. THE CONTRACTOR SHALL PROVIDE UNDERSAMENT AND PURNISH AND INSTALL ALL METERIALS AND CENTRAL FLOWING WITH THE FLOORING SMALL BE AND ARCHITECT, THE CONTRACTOR SHALL PROVIDE WITH THE RESULENT FLOORING MANUFACTURERS RECOMMENDATION.

 CERAMIC TILE SHALL FURNISH AND INSTALL ALL THE WORK IN ACCORDANCE WITH THE THE COLOURLE OF AMERICA. PROVIDE RECOMMENDATIONS FOR EACH APPLICATION INDICATED. PROVIDE CONTRACTOR SHALL FURNISH AND INSTALL ALL THE ROWNER WALLS.

 ALL OWN WOOD PROORING SHALL BE AN SOUTED OF THE HORIZOND. PROVIDE CONTRACTOR SHALL FURNISH AND INSTALL ALL THE ROWNER WALLS.

 ALL OWN WOOD PROORING SHALL BE AN NOTED ON THE PROWNER WALLS.

 ALL OWN WOOD PROORING SHALL BE AN SOUTED ON THE PROWNER WALLS.

 ALL OWN WOOD PROORING SHALL BE AN SOUTED ON THE PROWNER WALLS.

 ALL WINDON PROORING SHALL BE AN SOUTED ON THE PROWNER WALLS.

 ALL WINDON PROORING SHALL BE AN SOUTED ON THE PROWNER WALLS.

 ALL WINDON PROORING SHALL BE AN SOUTED ON THE PROWNER WALLS.

 ALL WINDON PROORING SHALL BE AN SOUTED ON THE PROWNER WALLS.

 ALL WINDON PROORING SHALL BE AN SOUTED ON THE PROWNERS. THE CONTRACTOR SHALL FURNISH AND INSTALL ALL WORK FLOORING IN ACCORDANCE WITH THE BEST PRACTICES OF THE TEXAND. THE P

A. ALL TOILET ACCESSORIES, MEDICINE CABINETS, MIRRORS, AND ANY OTHER EQUIPMENT AS INDICATED ON THE DRAWINGS SHALL BE FURNISHED AND INSTALLED BY THE CONTRACTOR FOLLOWING OWNER AND ARCHITECT APPROVAL.

A. COUNTERS AND CABINETS ARE TO BE MANUFACTURED UNITS OF AWI QUALITY AS SELECTED BY THE OWNER AND ARCHITECT, ALL CASEWORK SHALL BE FURNISHED AND INSTALLED BY THE CONTRACTOR, COMPLETE WITH ALL STANDARD HARDWARE.

- DIVISION 15- MECHANICAL

 A ALL PUMBING HEATING, AND VENTLATING MATERIALS AND INSTALLATIONS SHALL CONFORM 10 THE NATIONAL PLANNING AND MECHANICAL CONFORM 10 THE NATIONAL PLANNING AND ORDINANCES, COORDINATE WITH OTHER WORK.

 B. EXTEND HOT AND COLD WATER SUPPLY AND WASTE WATER PLUMBING SYSTEMS AS INCICATED ON THE DRAWINGS OR AS PLUMBING SYSTEMS AS INCICATED ON THE DRAWINGS OR AS PETITIONS, ACCESSORIES, AND RELATE DEJUMBENT, PIPING RUINS AND RISER LYOUTS SHALL BE DETERMINED BY THE CONTRACTOR.

 IN THE OWNER, ALL PRIVINES AND FALLED SHALL BE APPROVED BY THE OWNER, ALL PRIVINES AND FALLED ON THE DRAWINGS OR AS REQUIRED TO MEET THE INTENT, INCLUDING HEATING DISTRIBUTION, CONTRACTOR SHALL CALCULATE HEATING STUTY BE CONTRACTORS SHALL BE THE DEGUMENT. THE CONTRACTOR SHALL CALCULATE HEAT LOSS, BIT REQUIRED THE OWNER, ACCESSORIES, AND RELATE DE OUTPINETT. THE CONTRACTORS SHALL CALCULATE HEAT LOSS, BIT REQUIRED THE OWNER SHALL CALCULATE HEAT LOSS. BIT REQUIRED THE OWNER AND ENGINEER FOR APPROVAL.

 E. PROMOE EXTRICTED FORM PER INSULATION FOR ANY LINES THAT WILL BE LOCATED IN UNHEATED SPACES.

DIVISION 16- ELECTRICAL

DIVISION 15- MECHANICAL

- DMISION 16- ELECTRICAL

 A LLECTRICAL WATERIALS SHALL CONFORM TO THE
 STANDARDS OF UNDERWRITER LABORATORIES, INC, AND SHALL
 BE INSTALLED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL
 CODE AND OTHER APPLICABLE CODES AND ORDINANCES.
 CODEIDATE WITH OTHER WORK.
 B. CORDINATE WITH OTHER WORK.
 B. CONTROLOR SHALL BE ARROWED AND LIGHTING SYSTEMS
 AS INDICATED ON THE DRAWINGS OR REQUIRED TO MEET THE
 INTENT, INCLUMING PAREL BOARDS RATURES, RECEPTACLES,
 SWITCHES WIRNG, ACCESSORIES, AND RELATE EQUIPMENT.
 THE CONTROLOR SHALL BE RESPONSEE FOR ALL CRECUTING,
 C. NEW LIGHTING FIXTURES, NOT OTHERWISE SPECIFIED SHALL BE
 AS ELECTED BY THE OWNER AND ARCHITECT, ALL PRIVILES
 SHALL BE FURNOSHED AND INSTALLED BY THE CONTRACTOR.

 ALL BEFURNOSHED AND INSTALLED BY THE CONTRACTOR.
 ALL BEFURNOSHED AND INSTALLED BY THE CONTRACTOR.

 ALL BEFURNOSHED AND INSTALLED BY THE CONTRACTOR.

 ALL BEFURNOSHED AND INSTALLED BY THE CONTRACTOR.

 ALL BEFURNOSHED AND INSTALLED BY THE CONTRACTOR.

ISAAK DESIGN, PLLC ARCHITECTURE &

URBAN DESIGN (603) 969-6711 NICK@ISAAKDESIGN.COM

www.isaakdesign.com

ARCHITECT: Isaak Design, PLLC Nick Isaak, JA, LEED AP 35 Oyster River Rd, Durham, NH 03824 Phone: 603-969-6711 Fax: 425-969-6712 nick@lisaakdesia

No.	Description	Date
	and the second	
		T
		_
_		+
-		+-
_		
_		-
-		-
_		-
_		
		3
-		_

15 Main St.

SPECS

7/15/16 Checker


Peter Murphy

A9.0 12" = 1'-0" Scale

GENERAL SPECIFICATIONS

12" = 1'-0"

NOT FOR CONSTRUCTION PERMIT SET ONLY



GENERAL NOTES

ISAAK DESIGN, PLLC ARCHITECTURE & URBAN DESIGN (603) 969-6711 NICK@ISAAKDESIGN.COM www.isaakdesign.com



Consultant Address Address Phone Fax e-mail


No.	Description	Date
		4
		1
		3
		4
_		
		1

Peter Murphy 15 Main St.

> **FLOOR PLANS**

1612 1/19/17 Checked by

A1.0 1/4" = 1'-0"







Consultant Address Address Phone Fax e-mail

Consultant Address Address Phone Fax e-mail

Consultant Address Address Phone Fax e-mail

Consu Addres Addres Phone Fax e-mail

No.	Description	Da
-		-
		-
		+
		+
-		-
		+
_		+
		-
_		
		_
	100,000	

Peter Murphy 15 Main St.

FLOOR PLANS

 Project number
 1612


 Date
 1/19/17

 Drawn by
 Author


 Checked by
 Checker


A1.1

1/4" = 1'-0"




4 Level 1 - Bathroom Demo 1/2" = 1'-0"






1 Level 1 - Bathroom Proposed 1/2" = 1'-0"




PERMIT SET 1/19/17





Consultant Address Address Phone Fax e-mail



Peter Murphy 15 Main St.


Project number 1612
Date 1/19/17
Drawn by
Checked by

A2.0


1/2" = 1'-0"



Room Finish Schedule								
Room Number	Room							
	Name	Floor	Base	Wall	Ceiling	Ceiling Height	Comments	
34	Bedroom 7				1			
35	Bedroom 6							
36								
	Closet							
31	Hall							
33	Wash							
32	Toilet							
21	Hall							
22	Bedroom 2							
23	Bath							
24	Bath							
25	Bedroom 5							
26	Bedroom 4							
27	Bedroom 3							
10	Entry							
11	Kitchen							
12	Living Room							
13	Bedroom 1							
14	Hall							
15	Bath							
01	Hall							
02	Mech.							
03	Room							
03	Laundry							
04	Bedroom 8							
05	Bath				-			
00	Datti				1	1		




1 Section 1 1/4" = 1'-0"



PERMIT SET 1/19/17





Consultant Address Address Phone Fax e-mail

Consultant Address Address Phone Fax e-mail

Consultant Address Address Phone Fax e-mail

> Consultant Address Address Phone Fax

Description	Date
	-
	-
	+-
	+
	-
	-
	+
	+-
	+-
	_
	+
	+
	+
	Description

Peter Murphy 15 Main St.

SECTIONS

1/4" = 1'-0"